

# 2012 HI-CHPS

## Applicability of Prerequisites for New Buildings on Existing Campuses

(Revised 4/19/16)



Prerequisite	Classrooms	Administration	Multipurpose	Locker/Shower	Library/Media	Gymnasium	Auditorium	Cafeteria/Commons	Commentary
<b>INTEGRATION</b>									
II.P1 – Integrated Design	X	X	X	X	X	X	X	X	
II.P2 – Microclimate-based Design	X	X	X	X	X	X	X	X	
II. P3 – Educational Display	X	X	X	X	X	X	X	X	Emphasis based on building type and credits attempted
<b>INDOOR ENVIRONMENTAL QUALITY</b>									
EQ.P1 – Air Quality in Natural Ventilated and Cooled	X	X	X	X	X	X	X	X	As applicable to ventilation strategy
EQ.P2 – Air Quality in Mechanically Ventilated and Cooled	X	X	X	X	X	X	X	X	As applicable to ventilation strategy
EQ.P3 – Construction IAQ	X	X	X		X	X	X	X	EQ.P3.3 as applicable to ventilation strategy
EQ.P4 – Moisture Management	X	X	X	X	X	X	X	X	As applicable
EQ.P5 – View Windows	X	X			X				Classrooms, administration and libraries only
EQ.P6 – Daylighting and Glare	X								Applicable to classrooms only, recommended for other spaces
EQ.P7 – Minimum Acoustical Performance	X								Applicable to classrooms only
EQ.P8 – Minimum Low Emitting Materials	X	X	X	X	X	X	X	X	
<b>ENERGY</b>									
EE.P1 – Minimum Energy Performance	X	X	X		X	X	X	X	
EE.P2 – Commissioning	X	X	X		X	X	X	X	
EE.P3 – Facility Staff & Occupant Training	X	X	X		X	X	X	X	EE.P3.2 not applicable for Locker/Shower
EE.P4 – Eliminate Ozone Depleting Refrigerants	X	X	X	X	X	X	X	X	Applicable if HVAC&R used

<b>Prerequisite</b>	<b>Classrooms</b>	<b>Administration</b>	<b>Multipurpose</b>	<b>Locker/Shower</b>	<b>Library/Media</b>	<b>Gymnasium</b>	<b>Auditorium</b>	<b>Cafeteria/Commons</b>	<b>Commentary</b>
EE.P5 – Base Energy Management System	X	X	X		X	X	X	X	Naturally ventilated/conditioned and Locker/Shower buildings exempt
EE.P6 – ENERGY STAR Equipment	X	X	X	X	X	X	X	X	If applicable (plugged-in equipment)
<b>WATER</b>									
WE.P1 – Outdoor Water Budget & Irrigation Performance	X	X	X	X	X	X	X	X	Required only when site work is performed (e.g. grading, landscaping, paving)
WE.P2 – Minimum Reduction Indoor Water Use	X	X	X	X	X	X	X	X	Required only if plumbing in project
<b>SITES</b>									
SS.P1 – Site Selection & Evaluation	X	X	X	X	X	X	X	X	SS.P1.2 only unless an ESA required (SS.P1.1) or SS.C5 pursued (soil testing)
SS.P2 – Construction Site Runoff	X	X	X	X	X	X	X	X	Required only when site work is performed (e.g. grading, landscaping, paving)
<b>MATERIALS &amp; WASTE MANAGEMENT</b>									
MW.P1 – Storage & Collection of Recyclables	X	X	X	X	X	X	X	X	
MW.P2 – Minimum Construction Site Waste Management	X	X	X	X	X	X	X	X	
<b>DISTRICT PLANNING, OPERATIONS &amp; MAINTENANCE</b>									
OM.P1 – District High Performance Operations	X	X	X		X	X	X	X	ENERGY STAR Portfolio Manager may only be completed for a single building if it is sub-metered. Otherwise, would need to be conducted for the entire school.
OM.P2 – Systems Maintenance Plan	X	X	X	X	X	X	X	X	Systems based on the scope of the project